

2024

Research Needs 2024

Research Needs 2024

Project Priorities

Published by:

Food Safety Authority of Ireland The Exchange, George's Dock, IFSC, Dublin 1, D01 P2V6

T +353 1 817 1300 E info@fsai.ie

www.fsai.ie

© FSAI 2024

Applications for reproduction should be made to the FSAI Communications Team

ISBN: 978-1-910348-73-4

Contents

Project priorities 2024	2
Project list	3
Exposure assessment	
Emerging risks and threats	
Food science and technology	18
Biological safety	23
Allergens	34
Chemical safety	35
Public health nutrition	47
Social science	61

The Food Safety Authority of Ireland (FSAI) has a mandate to enforce food law and protect consumer health in relation to food marketed and produced in Ireland. Its brief covers food safety, hygiene, and aspects of nutrition. Food safety research is essential to address any gaps in food safety knowledge, to support improvement of, and compliance with, food safety regulations and to identify emerging issues and threats to the food system in Ireland.

The FSAI is not a research funding body and therefore it is essential that it communicates areas of priority food safety research to state bodies that fund research and also, to scientists in research institutes who are applying for funding. These areas can be incorporated into research calls by funding bodies, or they can be the subject of researcher-led funding proposals submitted to research funding bodies.

This document outlines priority research areas that would advance the risk assessment and risk management work of the FSAI and support the protection of public health. They are listed under broad topic headings, and they include suggestions for major research projects as well as smaller desk research studies.

Research funding bodies and/or researchers are invited to cite this report as supporting documentation for their calls or proposals. In addition, researchers should be aware of relevant projects already funded in the areas listed. The FSAI has listed the national projects that it is aware of but cannot rule out that others have been completed/are in progress or provide information on the extensive research at European and global level.

The FSAI would be happy to discuss the detail of proposed research topics with researchers who wish to make applications to research funding bodies in these areas of interest.

Where national projects are underway or are planned in these research areas and are not listed, the FSAI would be grateful if researchers and/or research funding bodies could notify the Authority via the FSAI Advice Line (info@fsai.ie).

Project List

Exposure assessment

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
Food Consumption Data for the Irish Population	Food safety risk assessment requires accurate and comprehensive data on the food consumption habits of the Irish population including types of food, quantities consumed and frequency of consumption for all age groups. These data are also essential for nutritional analysis including identification of nutrient deficiencies, development of dietary advice and programmes on food reformulation. Ireland has developed excellent food consumption data sets for all age groups using the food diary approach which generates data that is both fit for risk assessment and dietary analysis purposes. However, as data becomes older at a time when consumption habits change quickly, up-to-date data is continually required on a rolling programme basis. The National Children's Food Survey is the oldest data set and should be prioritized for updating.	 National Pre-school Nutrition Survey II. Lead: Dr Breige McNulty, University College Dublin Funded by: Food for Health Research Initiative. Supported by the Department of Agriculture, Food and the Marine Start year: 2023 Report available: Project underway NANS II- National Adult Nutrition Survey. Lead: Dr Janette Walton, Cork Institute of Technology (Technical University Munster)

Research area	Research need Biomonitoring samples e.g. urine, are also useful for subsequent	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of Funded by: Department of Agriculture,
	dietary analysis and analysis of chemical contaminant exposure and it would be desirable to include this aspect in any research programme such that biomonitoring samples are taken from participants during the survey and stored along with their metadata for future analysis.	Food and the Marine, Food Institutional Research Measure 2019R445 Start year: 2019 Report when available: Here or Here. 3. NTFS II- National Teens' Food Survey II. Lead: Dr Breige McNulty, University College Dublin Funded by: Department of Agriculture, Food and the Marine, Food Institutional Research Measure 17F231 Start year: 2017 Report available: Here. 4. NCFS II- National Children's Food Survey II.

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
		Lead: Prof. Albert Flynn, University College Cork Funded by: Department of Agriculture, Food and the Marine, Food Institutional Research Measure 15F674 Start year: 2015 Report available: Here. 5. BIO-Tilda study- The Irish Longitudinal Ageing Study (TILDA) Nutritional Biomarker Database Enhancement Initiative. Lead: Dr Anne Molloy, Trinity College Dublin Funded by: Department of Agriculture, Food and the Marine, Food Institutional Research Measure 13F492 Start year: 2013 Report available: Here.

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
		6. NUTRIDATA- National nutrition databases for public health and new product development.
		Lead: Prof. Dolores O'Riordan, University College Dublin Funded by: Department of Agriculture,
		Food and the Marine, Food Institutional Research Measure 13F542
		Start year: 2013 Report available: <u>Here.</u>
		 7. National Pre-School Nutrition Survey. Lead: Dr Janette Walton, University College Cork
		Funded by: Food for Health Research Initiative. Supported by the Department of Agriculture, Food and the Marine, the

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware ofDepartment of Health and Children and the Health Research Board (HRB)Start year: 2010Report available: Here.
Generate specific food consumption and analytical data on food supplements	 Irish legislation defines food supplements as: "Foodstuffs the purpose of which is to supplement the normal diet and which are concentrated sources of nutrients or other substances with a nutritional or physiological effect, alone or in combination, marketed in dose form, namely forms such as capsules, pastilles, tablets, pills and other similar forms, sachets of powder, ampoules of liquids, drop dispensing bottles, and other similar forms of liquids and powders designed to be taken in measured small unit quantities." The food supplement market is global with products easily available on the internet from jurisdictions outside the EU where different rules are in place. Sometimes supplements can contain excess nutrients above physiological need, e.g. protein, vitamins, and minerals. Other supplements may contain high 	None notified.

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
	 levels of caffeine and other caffeine ingredients including green tea extracts. Supplements may also contain hazardous chemical constituents such as DNP (2,4-Dinitrophenol) despite the work of Authorities to control the supplement market. The value and demand for food supplements can also act as an incentive for fraudulent activity by illegitimate operators, including the substitution of ingredients and the addition of illicit active substances. Food safety risk assessment requires good data on consumption and composition of these supplements. Specifically, data are required on: The frequency of consumption and intake of supplements in those aged 9–65 years. Official/self-reported harmful effects associated with these supplements. Composition, particularly the possible presence of illicit substances. Toxicity of substances that exert a physiological effect which are included in food supplements. 	

Research area	Research need NOTE: Nutrient declarations on labels of food supplements are	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
	based on average values and there are acceptable tolerances above and below the labelled level in Europe. Therefore, tested nutrient levels in supplements may be within these tolerances without breach of legislation.	
Generate specific food consumption data on seafood for children	Ireland's expanding seafood industry has a significant impact on rural development. However, seafood consumption is not a frequent occurrence in Ireland. The data generated in the major food consumption studies, such as those carried out by the Irish Universities Nutrition Alliance (IUNA), do not provide data specifically on seafood consumers. Therefore, information in this area is needed to enable accurate exposure assessments for food safety risk assessment. A 2016 FSAI Scientific Committee report on marine biotoxins highlighted the need for a specific food consumption survey on shellfish, in order to better characterise the risk from exposure to biotoxins and other contaminants from consuming shellfish. A Food Institutional Research Measure (FIRM) project (SCaRES) funded by the Department of Agriculture, Food and	 SCaRES- Seafood Consumption and Risk Exposure Study. Lead: Prof. Eileen Gibney, University College Dublin Funded by: Department of Agriculture, Food and the Marine, Food Institutional Research Measure 17F264 Start year: 2017 Report available: Here.

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
	the Marine (DAFM) and carried out by University College Dublin (UCD) generated information on seafood (fish and shellfish) consumption in adults, aged 18 years and over. Similar detailed data is needed for toddlers (aged 12–35 months) and children (aged 3–12 years). Particular attention should be paid to capturing consumption data on bivalve molluscs.	
Use and consumption patterns of seaweed and halophytes in Ireland	Seaweed is a relatively underexplored source of human nutrition in Ireland. Market research has indicated that the number of seaweed-flavoured foods and drinks available in Europe increased by 7% between 2011 and 2015, mainly due to the perceived health benefits of seaweed. In 2020, the FSAI Scientific Committee published a report titled <i>Safety</i> <i>considerations of seaweed and seaweed-derived foods</i> <i>available on the Irish market.</i> The report noted several gaps in information that would be necessary to conduct a comprehensive risk assessment. Research needs:	None notified.

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
	 Quantitative information about direct consumption of seaweed and consumption of seaweed as an ingredient in other foods (not including additives, e.g. thickeners) for all age groups, ranging from those aged 12 months upwards. A survey on seaweed preparation techniques, coupled with information on how the consumed seaweed was obtained (foraged, purchased at farmers' markets, purchased in health food shops, online or retail). A study into the effects of food processing on the presence of harmful chemicals (e.g. heavy metals) should be conducted to underpin advice to consumers on how to minimise exposure to such chemicals. A market survey in Ireland on the availability of edible seaweed species and halophytes will inform the need for risk management actions. 	

Emerging risks and threats

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
The availability and	The FSAI needs automated systems to identify signals of	None notified.
mining of open-source	emerging risk in the food chain and present them in a dashboard	
data to predict emerging	for evaluation by experts as the first stage of an emerging risk	
food safety risks	identification system.	
	The drivers of emerging risk can be categorised into the traditional PESTLE format: P for Political, E for Economic, S for Social, T for Technological, L for Legal, and E for Environmental. Any single driver can result in the emergence of a new food safety risk however, it is likely that more than one will combine to create an emerging risk. When looking for emerging risks it is important to seek data that signal their emergence. Such data can be in either a structured or unstructured form; in addition, they often need to be collated and combined before data analysis, to reveal patterns and correlations. Trade flows, weather patterns, media reports, digital media exchanges and peer-reviewed literature are all examples of data sources that can be used to seek signals of emerging chemical	

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
	and biological risks to food. Insights into examples of emerging risks can be gained through the EFSA emerging risk exchange network reports: <u>www.EFSA.europa.eu.</u> Research is needed to identify suitable data sources, to test them for their ability to identify emerging risks, to provide tests for validity of these data and to develop suitable dashboards and alerts for ongoing monitoring and surveillance.	
Food chain vulnerability assessments	EU Food law is cognisant of measures to combat food fraud. At industry level threat/vulnerability assessment is now a required feature of the supply chain. At government level, food chain vulnerability assessment is necessary to prioritise monitoring and surveillance activities and to understand the security of the food supply system. Disruptions to the food chain can provide opportunities for those with criminal intent to exploit opportunities to make money. There are key supply chains that are relevant to Ireland. These should be mapped identifying the relevant stakeholders and the points of vulnerability. Data monitoring and analysis approaches	None notified.

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
	to signals emanating from vulnerable parts of supply chains should be developed for early warning purposes. Current priorities for vulnerability assessments include the beef, lamb, pork, poultry, and white fish product supply chains in Ireland. NOTE: A vulnerability assessment on the Irish dairy chain has already been completed by contractors on behalf of the FSAI.	
Food safety risks associated with EU Farm to Fork Strategy and Ireland's most recent Climate Action Plan	The <u>EU Farm to Fork Strategy</u> specifies reductions in the use of inorganic fertilisers, pesticides and veterinary medicines as well as an increase in organic agriculture. Ireland's Climate Action Plan has set stringent targets for the agriculture sector. It is looking for a 25% reduction in the emissions of greenhouse gases, a significant reduction in nitrogen as a fertiliser and an increased uptake in use of protected urea on grassland farms. It also looks for an increase in organic farming to up to 450,000 hectares and tillage to up to 400,000 hectares. An expansion in the production of biomethane through anaerobic digestion is also part of the approach being pursued.	 Development and application of transformative genetic, dietary and manure management technologies to reduce methane emissions from Irish pasture-based beef and dairy production systems. Lead: Sinead Watters, Teagasc Funded by: Department of Agriculture, Food and the Marine, Food Institutional Research Measure
		Start Year: 2023

Research area

Research need

Alternative approaches and/or innovative products aimed at addressing these targets are being encouraged by an active Government research programme. However, research into mitigations throughout the food chain to address sustainability and climate action tend to focus solely on solving the problem at hand. Unfortunately, food systems are complex and without systems thinking during this research unintended consequences for food safety may inadvertently ensue.

Therefore, it is essential that research in these areas actively generates the data needed for an assessment of the possible food safety risks and public health impact, if any, from adoption of sustainable approaches to food production. Of particular interest is the food safety implications of feed additives given to dairy and beef cattle regarding residue uptake into meat and milk. Similarly, the food safety implications of residues in meat and milk resulting from use of environmental inhibitors e.g. protected urea, on pastures. Whilst these are specific examples, the food safety implications of any change to current food production process should be a priority research topic e.g. effect

Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of

(unclear if the food safety angle of this work has been taken account of in the study)

2. Enteric methane emissions from pasture-based ruminant livestock; Country specific mitigation and emission factors.

Lead: Ben Lahar, Teagasc

Funded by: Department of Agriculture, Food and the Marine, Food Institutional Research Measure

Start Year: 2023

(unclear if the food safety angle of this work has been taken account of in the study)

3. Biostimulants for Grass Production.

Lead: Carl Ng, University College Dublin

Funded by: Department of Agriculture, Food and the Marine, Food Institutional Research Measure

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
	on rumen Shiga toxin <i>E. coli</i> (STEC) harbourage of measures to reduce greenhouse gas emissions from cattle.	Start Year: 2023 (unclear if the food safety angle of this work has been taken account of in the study) 4. Assuring the Chemical and Microbial Safety of Organic Waste Spread on Land in Ireland. Lead: Declan Bolton, Teagasc Funded by: Department of Agriculture, Food and the Marine, Food Institutional Research Measure 2021R453 Start Year: 2021 Report not available. 5. Efficacy & Safety of Nitrification and Urease Inhibitors. Lead: Patrick Forrestal, Teagasc

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
		Funded by: Department of Agriculture, Food
		and the Marine, Food Institutional Research
		Measure 2021R447
		Start Year: 2021
		Report not available.
		6. BioCrop: Biostimulants and
		Biopesticides for Crop Production.
		Lead: Dr Angela Feechan, University
		College Dublin
		Funded by: Department of Agriculture, Food
		and the Marine, Food Institutional Research
		Measure 2019PROG705
		Start Year: 2019
		Report not available.
		(unclear if the food safety angle of this work
		has been taken account of in the study)

Food science and technology

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
Future trends and food safety risks of new food production methods	 Advances in molecular biology are facilitating new food production methods. The drive for a sustainable food system is also generating interest in new sources of protein and sustainable methods of food production. However, as with many new technologies, food safety aspects are rarely addressed during the development phase. Areas of interest to the FSAI are: Use of precision fermentation with genetically modified microorganisms (GMMs) for food production in terms of efficacy and safety. Safety and food/feed industry impact of insect, plant and animal protein sources that are new to EU consumers. Risk benefit assessment of new genomic techniques (NGTs) on farming and food production in Ireland/EU. 	None notified.

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
	 Impact on food/feed production and safety for new crops to be grown in Ireland in response to changing climate. A report that looks at the food safety implications and mitigations of each or all these aspects of food/feed production systems, would be a very useful resource for regulatory scientists. 	
Safe use of biosolids on agricultural land used for food production	In 2008, the FSAI Scientific Committee published a comprehensive report on the food safety implications of land spreading of organic agricultural waste and organic municipal/industrial waste on land in Ireland. Research in progress and published (see projects 1 and 2 listed) has/is addressing some of the safety aspects associated with spreading organic agricultural (OA) material, and organic municipal industrial (OMI) materials on land used for agriculture. Further research is needed to expand on some of this work in respect of biosolids (solid treated waste from wastewater	 Assuring the Chemical and Microbial Safety of Organic Waste Spread on Land in Ireland. Lead: Declan Bolton, Teagasc Funded by: Department of Agriculture, Food and the Marine, Food Institutional Research Measure 2021R453 Start year: 2021 Report not available.

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
	 treatment plants) and Sewage sludge (Solid/semisolid waste that is treated but not to an extent that reduces the biological or chemical hazards). In particular, the FSAI would welcome research that provides data on the: Possible bioaccumulation of chemical hazards (heavy metals, persistent organic pollutants and microplastics) in different soils due to use of biosolids and/or sewage sludge and the uptake of these chemicals in different pasture plants, tillage crops and fresh produce grown in these soils. (<i>Note: project 2 listed looked at uptake of some chemical hazards in rye grass.</i>) Effectiveness of current treatment methods and development of new treatment methods for the formation of biosolids aimed at reducing and/or eliminating chemical and biological hazards prior to these materials being spread on agricultural land. Detailed inventory of biosolids produced and used in Ireland including the amount used on agricultural land and what crops are grown subsequently on such land. 	 2. Health and Water Quality Impacts Arising from Land Spreading of Biosolids. Lead: Mark Healy Funded by: Environmental Protection Agency Start year: 2014 Report available: Here. 3. AD-Policy: The comparative public and animal health risks associated with spreading Anaerobic Digestate, animal manure and slurry on land: Science, Policy and Practice. Lead: Declan Bolton, Teagasc Funded by: Department of Agriculture, Food and the Marine, Food Institutional Research Measure 14SF847 Start Year: 2014

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of Report available: <u>Here.</u>
The safety of plant-based	Globally, there is a general desire to move to a more	1. Duckweed as a Novel, Sustainable
protein sources	 sustainable food system which, among other actions, requires us to embrace a more sustainable diet. Some research suggests that this may require people to consume less meat and, consequently, there has been an increase in the development and availability of plant-based protein sources. Research is needed to: Establish the allergenicity, if any, of plant-based protein alternatives. Determine the presence and risk of pathogenic microorganisms throughout the shelf life of plant-based protein alternatives. Study the chemical hazards associated with the plant-based protein source. 	 Source of Protein for Ireland. Lead: Marcel Jansen, University College Cork Funded by: Department of Agriculture, Food and the Marine, Food Institutional Research Measure 2021R487 Start year: 2021 Report not available. (unclear if the food safety angle of this work has been taken account of in the study) 2. Protein-I: Shared Island Sustainable Healthy Nutrition.

Research area	 Examine the presence, if any, of antinutrients in plant- 	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of Lead: Prof. Lorraine Brennan, University
	 based protein alternatives and their effect on nutrient intake from the final food. Develop approaches to mitigate any risks to food safety that have been identified. Note: There is some Irish research in this area, but it is unclear if food safety is an aspect of the research. 	College Dublin Funded by: Department of Agriculture, Food and the Marine, Food Institutional Research Measure 2021R546 Start year: 2021 Report not available. (unclear if the food safety angle of this work has been taken account of in the study)

Biological safety

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
Reduction of	The development of antimicrobial resistance (AMR) in pathogenic	1. COMplex Biofilms and AMR
antimicrobial resistance	bacteria remains one of the biggest threats to human health in	Transmission.
(AMR) as a foodborne hazard	the 21 st century. Ireland has embarked on a national action plan on AMR, which is designed to prevent, monitor, and combat AMR across the human health, agricultural and environmental sectors. Ireland's second One Health National Action Plan on Antimicrobial Resistance 2021-2025 (iNAP2) was published jointly by the Departments of Health (DOH) and Agriculture, Food, and the Marine (DAFM) in November 2021. Research continues to be one of the Strategic Objectives.	Lead: Prof. Séamus Fanning, University College Dublin Funded by: Department of Agriculture, Food and the Marine, TransNational JPI HARISSA 2TJH1\2 Start year: 2021
	 Research is required to improve animal health and reduce the reliance on antimicrobial usage on farm. Further, research should be aimed at monitoring antimicrobial resistance development in zoonotic bacteria throughout the food chain. Focus might usefully be applied to concepts such as: Establishing the extent of association, including potential time-lag between antimicrobial usage in animals, and 	 Report not available. 2. Strengthening Implementation of National Action Plans by estimating the Full Economic burden of AMR across all ONE Health settings. Lead: Prof. Finola Leonard, University College Dublin

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
	 prevalence of antimicrobial resistance bacteria in foods derived from those animals. In the context of the sustainability debate and potential de-stocking strategies, assess intensification impact and extensification benefits of AMR prevalence in food producing animals, or organic production with enhanced withdrawal periods. Separately assess direct food-borne and broader food-chain-related risks arising from AMR in food-producing populations. Assess extent of usage and contribution to AMR of coccidiostat usage. Assess inter-animal-crop AMR transfer through e.g. withdrawal-period milk and manure recycling, and recommend risk management strategies. Assess consumer/market benefits of labelling scheme to enable purchase from farms/systems with lower antimicrobial reliance. 	 Funded by: Department of Agriculture, Food and the Marine, TransNational JPI HARISSA 2TJH1\3 Start year: 2021 Report not available. 3. PigNutriStrat: Novel Nutritional and Management Strategies to Reduce Antimicrobial Reliance and Antimicrobial Resistance on Irish Pig Farms. Lead: John O'Doherty, University College Dublin Funded by: Department of Agriculture, Food and the Marine, Food Institutional Research Measure 2019R518 Start year: 2019 Report not available.

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
	Researchers should note that there is extensive research in this area and the FSAI cannot be certain that aspects of its suggested research needs have been covered. A thorough check on the state of the art in this field would be prudent before submitting research applications.	 4. Biomarkers and Microbiome in Farms for Antimicrobial Resistance Management. Lead: Edgar Garcia Manzanilla, Teagasc Funded by: Department of Agriculture, Food and the Marine, Transnational ERA-NET 2020EN510 Start year: 2020 Report not available. There was also a full list of projects either wholly dedicated to AMR or at least partly dedicated to AMR drawn up by the iNAP Animal Health Implementation Committee compiled in 2020: PathSurvPigs: Investigation of Respiratory Disease on Irish Pig Farms, Risk Factors, and the Relationship with Performance,

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
		welfare and AMU. DAFM 14/S/832. 2015- 2019.
		Giltlife: Strategies to Optimise Gilt Lifetime
		Performance Teagasc. 2016- 2019.
		PLFPigsCarc: Optimising Feedback of
		Computerised Meat Inspection Findings and
		Precision Livestock Farming Monitors on
		Farm to Improve Pig Health, Welfare and
		Carcass Quality. Teagasc. 2017-2020.
		Tripartite 1: Application of Next Generation
		Sequencing for the Identification of DNA
		Based Biomarkers in Regulatory Regions of
		the Genome for Susceptibility to Bovine
		Respiratory Disease Complex. US-Ireland-
		Tri-partite grant. 2018-2020.

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
		SWAB : Surveillance Welfare and Biosecurity of Farmed Animals. DAFM 17/S/230. 2018- 2020.
		SAFEFOOD AM : Use of Antimicrobials in Animal Health on the Island of Ireland: Knowledge, Attitudes and Behaviour. s <i>afe</i> food. 2019-2021.
		Report available: <u>Here.</u> AMURAP: Antimicrobial use and resistance in animal production. DAFM 15/S/676. 2016- 2020.
		MastiSTAPH : The Impact of Bovine-specific S. Aureus Genetic Variability on Mastitis Control and Milk Processing and The Effect Of Selective Dry Cow Antibiotic Therapy On

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
		Udder Health. MS Curie Action-IRC co-
		funded CAROLINE Fellowship. 2018-2020.
		AREST: Antimicrobial Resistance and the
		Environment — Sources, Persistence,
		Transmission and Risk Management. EPA
		Ireland. 2018-2021.
		Report available: <u>Here.</u>
		SowWeanWel: The Implications of Chronic
		Stress in Gestating Sows for Sow
		Performance and Welfare and for the
		Resilience of her Piglets to Stress and
		Disease Teagasc. 2018-2021.
		WelfareDairy: Welfare of Dairy Cows in
		Pasture-based Systems. Teagasc. 2017-
		2022.

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
		 OviData: Increasing Sheep Genetic Gain in Ireland Through Commercial Data Capture. Teagasc. 2018-2022. Tripartite 2: Characterization of the Respiratory Microbiome and Virome associated with Bovine Respiratory Disease Complex. US-Ireland-Tri-partite grant. 2019- 2022.
		ZincO: Effects of Therapeutic ZnO on the Microbiome, Resistome and Immune System of Pigs and Strategies to Face ZnO Withdrawal. Teagasc. 2018-2022. Novel Nutritional and Management Strategies to Reduce Antimicrobial Reliance and Antimicrobial Resistance on Irish Pig Farms. UCD. 2019-2022.

		progress or completed since 2010 that FSAI is aware of
One Health' mitigation	Ireland has the highest reported rate of shiga toxin-producing E.	1. Detection and Risk Management of
neasures to reduce the	coli (STEC) illness in people in Europe. Multiple serotypes are	Verotoxigenic <i>E. coli</i> in the Water
isk of Shiga Toxin-	involved, in addition to O157 and O26, which are the most	Environment (DERIVE).
• • • •	common. While the high reported rate is in part due to the active	Lead: Dr Liam Burke, NUIG
reland	surveillance of all STEC infections in Ireland, infection from environmental sources (for example private well water and on- farm exposure) is a major contributor. Food appears to play a lesser role in human STEC infection, but environmental contamination of food produce and food animals, (for example, cattle and sheep) can still cause outbreaks. Control of STEC requires a <u>'One Health'</u> approach that involves mitigations with an environmental, animal production and human health dimension. Research is needed to identify practical measures that can be taken throughout the food chain and its environment to reduce the risk of STEC infection in humans. Existing surveillance could be enhanced to identify risk factors for higher prevalence and therefore identify production practices to mitigate risk, e.g. pre-harvest dietary change or husbandry interventions, host genetic markers of super shedding likelihood.	Funding body: Environmental Protection Agency Start year: 2022 Report not available. 2. VTEC One for Health Surveillance of Verocytotoxigenic E. coli in Ireland: A One Health Approach. Lead: Dr Geraldine Duffy Teagasc Ashtown Funded by: Department of Agriculture, Food and the Marine, Food Institutional Research Measure 15F629

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
	NOTE: This has been left in the FSAI research requirements due to the significant public health impact of STEC. Research into prevention of human infection via various food and environmental pathways needs to build on existing knowledge – not least that developed/being developed in projects 1 and 2 listed.	Start year: 2015 Report not available.
Maximising <i>Campylobacter</i> risk management within chicken slaughter	<i>Campylobacter</i> remains the most common cause of bacterial gastroenteritis in people in Ireland, and <i>Campylobacter</i> is frequently detectable on raw chicken at Irish retail level. In 2011, the FSAI Scientific Committee made various recommendations to manage the <i>Campylobacter</i> risk from farm to fork. Since 2018, legislation requires slaughterhouses operators to apply a quantitative <i>Campylobacter</i> microbiological criterion in assessing their process hygiene and to take corrective action regarding resolving non-compliance. The Clean Broilers project demonstrated improvements have been made at farm and processing level, since the 2008 EU wide baseline study, however further research is needed. Optimisation of slaughter practices towards minimisation of <i>Campylobacter</i> numbers on chicken meat has utility to contribute	 1. Clean Broilers - Clean Broilers Through Enhanced Farm Biosecurity, Processing Prerequisites and HACCP Based Interventions. Lead: Dr Declan Bolton, Teagasc, Ashtown Funding body: Department of Agriculture, Food and the Marine, Food Institutional Research Measure 15F641 Start year: 2015 Report available: Here.

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
	 to overall risk management, within a broader holistic food chain. Investigations of practical effectiveness of <i>Campylobacter</i> interventions in an Irish context should facilitate progress towards incorporation into approved commercial establishments. The Clean Broilers project examined the impact of key processing stages and flock variables on the prevalence and levels of <i>Campylobacter</i> on broiler carcasses. Investigations of practical effectiveness of <i>Campylobacter</i> interventions in an Irish context should facilitate progress towards incorporation into commercial establishments. Candidate processes include the following: Quantify the effect on <i>Campylobacter</i> concentration of each step in the broiler slaughter process across several commercial plants representing the range of equipment, throughput and processes used in Ireland. Investigate optimisation strategies for key process steps to reduce <i>Campylobacter</i> concentrations with particular focus on the pre-scald bleed, scald process, defeathering process, carcass washing process and primary chilling process. 	 2. Campylobacter Control on Irish Broiler Farms (Campy-control). Lead: Paul Whyte, University College Dublin Funding body: Department of Agriculture, Food and the Marine, Food Institutional Research Measure 15F641 Start year: 2012 Report available: Here. 3. Poultry microbiome – interaction between virus infection and <i>Campylobacter.</i> Lead: Jignasha Patel, Teagasc in collaboration with the Agri-food and Bioscience Institute Northern Ireland

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
	 Develop and test practical measures to prevent or minimise cross contamination with <i>Campylobacter</i> between flocks during slaughter, considering that some flocks will be <i>Campylobacter</i> negative and others 	Funding body: EU Marie Curie/Teagasc Start year: 2023
	<i>Campylobacter</i> positive with varying levels of contamination. Focus being on measures that account for the quantitative risk (contamination level) presented by a flock rather than its qualitative risk (positive/negative).	Report not available.

Allergens

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
Development of data for	Currently, a food can be deemed unsafe if the undeclared	None notified.
allergen risk	significant presence of any of the 14 EU-regulated food allergens	
assessment	is established. The FSAI Scientific Committee has published a	
	scientific approach to risk assessment which aims to provide a	
	scientific basis for a more proportionate approach, while still	
	protecting consumer health. One element of the risk assessment	
	requires the application of reliable data on the prevalence in	
	Ireland of immune-mediated reaction to the EU 12 (EU 14 minus	
	gluten and sulphite) allergens.	
	Research is required to provide an accurate baseline of	
	prevalence of immune-mediated reaction to the EU 12 (EU 14	
	minus gluten and sulphite) allergens in Ireland, as well as a	
	scientifically robust methodology for updating such data in a	
	national register.	

Chemical safety

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
Identification of mitigation measures for mycotoxins in Irish crops	Consumer protection from the harmful effects of mycotoxins requires good mitigation measures to prevent contamination on the farm, and during transport and storage of plant-based food and feed. At manufacturing level, it is important that supplies of these ingredients are safe at the point of delivery. Due to climate change, it is expected that mycotoxin contamination of Irish crops and Irish foods including foods of animal origin will increase in the future, as warmer but wetter weather prevails. Therefore, there is a need to identify mitigation measures for mycotoxins, tailored to Irish production systems, that can be implemented at various stages of the food and feed supply chains.	 1. Mycotox-I: Field to Fork Assessment and Mitigation of Mycotoxin Exposure Risk on the Island of Ireland. Lead: Fiona Doohan, University College Dublin Funded by: Department of Agriculture, Food and the Marine, Food Institutional Research Measure.2021R460 Start year: 2021 Report not available.
Development of new toxicological methods to address food safety concerns	Methods to assess the safety of chemicals are evolving, with a shift from solely end-point oriented studies to mechanistic and adverse outcome pathway studies. New approach methods and in silico models are becoming more important, with a view to providing faster assessments and reducing the use of animals in	None notified.

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
	toxicity studies. There is also a need to further develop methods to assess exposure to multiple chemicals. Research into the suitability and validation of such methods for regulatory risk assessment is needed considering the extensive work at EU level (see EFSA.)	
circular economy on food safety at farm level	valorisation of waste materials is driving the expansion of the circular economy in Ireland and abroad. Recent food safety incidents have highlighted the use of recycled materials in animal husbandry that has led to subsequent contamination of meat and milk with persistent organic pollutants. Inappropriate use of recycled materials (e.g. plastics recycled from electronics, etc.) could lead to contamination of farm animals or food with contaminants (e.g. flame retardants, plasticisers). Conversely, as agriculture is essentially a nutrient-exporting venture, certain resources will become depleted at farm level unless replenishment strategies are incorporated.	
	Recent research has indicated that persistent organic pollutants, like PCBs, PBDEs, PCDD/Fs, PCNs and PFAS, showed the	

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
	 highest potential transfer into animal tissue/organs in laying chickens and pigs when these animals were exposed to recycled material used as bedding or for environment enrichment, or from exposure to land treated with fertiliser using recycled materials. FSAI considers that the following research areas would be beneficial in facilitating the circular economy at farm level: Develop an understanding of the extent and nature to which recycled materials (e.g. plastics, board/paper, rubber, insulation, wood) are used on farms with farm animals for food production. Particularly, recycled materials that are not designed for use with food or compliant with food contact material laws. Gain an understanding of the chemical and biological hazards that these materials may pose to food derived from animals e.g. milk, meat and edible offal. Establish guidelines on best practice and risk assessment to facilitate safe use of recycled materials on farms. 	

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
Generation of	Perfluoroalkyl substances (PFAS) are a group of man-made	1. INVESTigating PFAS from Source to
occurrence data for	chemicals that are manufactured and used in a variety of	sink - Assessing risk to inform a PFAS
perfluoroalkyl	industries around the world (e.g. textiles, household products,	STrategy in Ireland.
substances (PFAS) in food	firefighting, automotive, food processing, construction and electronics).	Lead: Fiona Regan, Dublin City University
		Funded by: Environmental Protection
	Exposure to these chemicals may lead to adverse health effects.	Agency
	People can be exposed to PFAS in different ways, including food. These substances are most often found in drinking water, fish,	Start year: 2023
	fruit, eggs, and egg products.	Note: This project has relevance in this space
	In 2020, the European Food Safety Authority (EFSA) published a Scientific Opinion on the risk to human health related to PFAS in food. The EFSA considered the decreased response of the	but is not addressing all aspects of the research need.
	immune system to vaccination to be the most critical human health effect when determining a health-based guidance value. In their conclusions, the EFSA identified exceedances of the health-based guidance value by the population and therefore, a concern for human health is evident.	
	In response to these findings the European Commission put in place maximum levels for certain foodstuffs (Regulation	

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
	 2022/2388) and called for further monitoring (Recommendation 2022/1431) for the years 2022 to 2025 to gather data on occurrence in foodstuffs for which data was lacking. They indicated that monitoring should include a wide variety of foodstuffs reflecting consumption habits, including fruits, vegetables, starchy roots and tubers, seaweed, cereals, nuts, oilseeds, food for infants and young children, food of animal origin, non-alcoholic drinks, wine and beer. Considering that PFAS can enter the food chain via several pathways, i.e. environmental contamination, food packaging, etc., research into the occurrence of PFAS in these sources and its transfer to food is needed to inform future risk assessments and risk management measures. Mitigation measures need to be developed to inform best practice for avoidance of PFAS contamination of food above safe levels. 	
Generation of migration	Some groups of food contact materials e.g. plastics are already	1. New Active Sustainable Packaging with
data for chemical	subject to specific EU measures, which include migration limits to	Natural Antimicrobials for Shelf-Life
substances that move	protect public health. Testing for migration is generally done in	extension of Fish Products.
into foods from	simulants, which are specified in legislation. However, this is a	

Research area proposed/new food contact materials	Research need fast-changing field of work and new food contact materials are being proposed or are being researched that may pose food	Relevant Irish research projects in progress or completed since 2010 thatFSAI is aware ofLead: Malco Cruz-Romero, University College Cork
	safety risks as yet unknown. Two major food issues arise. The first is the more general issue of risk assessment, which requires an understanding of the actual migration of the constituents of approved food contact materials into real foods. The second issue is the migration of potentially unsafe and perhaps unknown chemicals from these new and emerging food contact materials. The increasing use of recycled materials for use with food may also present issues for food safety. Research on the use of natural/sustainable or so-called green alternatives to plastic, printing inks, paper and board, and intelligent/active packaging are needed to investigate their potential food safety implications when in contact with food and to safeguard consumer health and build competence for regulators to evaluate these materials.	 Funded by: Department of Agriculture, Food and the Marine, Food Institutional Research Measure.2021R412 Start year: 2021 2. PECTIPACK- Eco-friendly Compostable Pectin based Packaging Material Derived from Waste Sources of Fruit Pulp and Its Validation in Bread Packaging (not clear from project summary if food safety is being considered). Lead: Dr Joe Kerry, University College Cork Funded by: Department of Agriculture, Food and the Marine, Food Institutional Research Measure. 2019R248 Start year: 2019

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
	Research should build on the current state of the art as this is a very active research area	Report not available.
Prevalence of natural plant toxins in Irish horticulture crops and food animals	Increased knowledge on the toxicological risks posed by naturally occurring substances (e.g. tropane, pyrrolizidine, opium, quinolizidine and glycoalkaloids, erucic acid, and cyanogenic glycosides) has led to the implementation of several regulatory measures. Some of these substances are highly toxic, and exposure must be maintained at very low levels. In the context of EU sustainability initiatives, the desire to increase biodiversity and hence reduce pesticide usage may exacerbate the risks of natural plant toxins in Irish food in the future. Irish food must comply with regulatory limits which may be a challenge. Hence there is a need to establish the seasonal prevalence of these hazards in Irish-grown crops, and Irish food animals grazing and feeding on pastures or crops, and to develop valid and practical mitigation strategies consistent with the targets of the <i>EU Farm to Fork Strategy</i> (e.g. good agricultural practices, variety development).	None notified.

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
	 Specifically, research is needed to: Establish the seasonal presence of tropane alkaloids, pyrrolizidine alkaloids, opium alkaloids, quinolizidine alkaloids, glycoalkaloids, erucic acid and cyanogenic glycosides in relevant Irish grown crops and in food animals grazing and feeding on pastures or crops. As appropriate, develop mitigation measures both at production and processing levels that ensure Irish food and feed compliance with relevant EU maximum levels for these natural plant toxins. The need to reduce pesticide usage should be accounted for in this research. Understand the possible transfer of these natural toxins to food-animals, their tissues and milk. 	
Emerging novel toxins in the Irish aquatic environment – characterising algal species and their potential impacts, due	Climate change is altering the aquatic environment in terms of temperature, salinity, and nutrient availability. Toxic events due to the growth of toxic phytoplankton need to be anticipated and measures put in place to protect public health.	 ToxVib- Genomics to Investigate Risks of Toxin-Producing Vibrio in Irish Shellfish. Lead: Dr Aoife Boyd, National University of Ireland Galway

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
to climate change, on human health	Emerging risk work at EU level has shown the migration of toxigenic species of phytoplankton into areas outside their known range. Ciguatoxin has been detected in fish in the Canaries and phytoplankton carrying the toxin genes has been detected in the Eastern Mediterranean. Blue green algal blooms in freshwater bodies are also becoming a more frequent occurrence. Many countries have not studied their aquatic environment sufficiently to understand the risks, if any, new phytoplankton species may pose. Ireland has a thriving aquaculture industry and excellent bathing waters which we need to protect by identifying emerging risks. Specific research needs include:	Funded by: Department of Agriculture, Food and the Marine, Food Institutional Research Measure 2019R531 Start year: 2019 Report not available.
	 An understanding of the changes in the aquatic environment due to climate pressures that favour the growth of certain new toxic phytoplankton species over existing known toxic phytoplankton species. This includes the presence if any, of phytoplankton expressing new biotoxins e.g. tetrodotoxins and ciguatoxins. 	

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
	 Research into the existence of hitherto unknown species of toxic phytoplankton in Irish waters and the conditions which favour their growth. Molecular data on new phytoplankton species and the presence and expression of toxin genes. Long-term data for new and emerging toxins, contaminants and pathogens should be collected and mitigation strategies should be put in place to protect consumers potentially exposed to such hazards through consumption of contaminated seafood, of both animal & plant origin. 	
Investigations on the reduction of the usage levels of the food additives; sulphur dioxide-sulphites (E 220-228) in certain foods	Sulphur dioxide-sulphites (E 220-228) are authorised food additives in the EU and their conditions of use are specified in Regulation (EC) No 1333/2008. In 2022, EFSA published its re-evaluation of these food additives, which identified that certain dietary exposure scenarios raised a safety concern for various population groups.	None notified.

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
	As a result, risk management measures are under consideration at EU level, which may include the deletion or the reduction of the maximum permitted levels for some provisions. As part of the FSAI's monitoring activities, it is apparent that these food additives are particularly used in Ireland for the preservation of peeled potatoes under food category 4.1.2 'Peeled, cut and shredded fruit and vegetables', and breakfast sausages and burger meat (with a minimum vegetable and/or cereal content of 4% mixed within the meat) under food category 8.1 'Fresh meat, excluding meat preparations as defined by Regulation (EC) No 853/2004' in Regulation (EC) No 1333/2008. Research is needed to: • Investigate what reductions to the usage levels of these food additives are feasible in the aforementioned foodstuffs whilst maintaining the necessary technological function.	

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
	If looking at alternatives to these food additives, consideration should be given to the food additives legislation (Regulation (EC) No 1333/2008).	

Public health nutrition

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
The current status of	In 2016 Directive 2009/39/EC (PARNUTs) was repealed by	None notified.
fortified foods	Regulation (EU) No 609/2013 on food for specific groups. Four	
previously considered	categories of foods previously regulated under the PARNUTS	
as dietetic foods	directive became controlled under general food law. These foods no	
(PARNUTs)	longer require notification to the FSAI. The four categories of foods	
	are:	
	Meal replacements for weight loss	
	Sports foods	
	 Toddler milks (milk-based drinks and similar products 	
	intended for young children)	
	Diabetic foods.	
	A desktop study is required to evaluate the range and nutritional	
	composition of these foods that are on the Irish market now that	
	their composition is no longer specifically controlled by legislation.	
	Web-scraping and other web-based tools could be used to collect	
	and collated information on:	
	Range of foods under these categories	

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
	 Nutritional composition Ingredients Nutrient fortification levels Nutrition and health claims. 	
Review of fortified foods on the Irish market	As part of the EU Farm to Fork strategy the European Commission (EC) is planning to establish 'nutrient profiles', that is, maximum amounts for nutrients such as fat, sugar and/or salt in foods, above which the use of nutrition or health claims would be restricted or forbidden. For example, breakfast cereals exceeding a sugar limit could no longer advertise their fibre or vitamin content. Information on the fortified foods on the market can inform on the number and type of products which may be affected by the introduction of nutrient profiles. There is currently no centralised database on the levels of fortification which are prevalent in Ireland, and no information on what levels of fortification are common on the Irish market. Research required includes a review which would provide information on:	None notified.

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
	 the prevalence of fortified foods available on the market. the prevalence of food fortification among different food categories. the specific nutrients with which products are commonly fortified. Information on the levels of nutrients present could be reviewed in line with nutrient ULs to assess the safety of such products.	
Review of trans fatty acids (TFAS) in foods in Ireland	 Trans fatty acids (TFAs) are unsaturated fatty acids with at least one double bond in the 'trans' configuration. Regulation (EU) No 1169/2011 defines TFAs as 'fatty acids with at least one non-conjugated (namely interrupted by at least one methylene group) carbon-carbon double bond in the trans configuration'. Based on their origin, TFAs are often grouped into either industrial/artificial TFAs or natural/ruminant TFAs. Industrial TFAs are formed during industrial processes associated with oil refining which include: Partial hydrogenation of vegetable oils (or occasionally fish oils), which converts oils into solid fats such as margarines. 	 Survey of the Trans Fatty Acid Content in Processed Food Products in Ireland Lead: Dr Karl McDonald, FSAI Funded by: FSAI Start year: 2017 Report available: Here.

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
	 Deodorisation of unsaturated vegetable oils (or occasionally fish oils) high in PUFAs (a necessary step in refining) Heating and frying of oils at high temperatures. Legislative limits for trans fats came into effect on 01 April 2021: Commission Regulation (EU) 2019/649 of 24 April 2019 amending Annex III to Regulation (EC) No 1925/2006 of the European Parliament and of the Council as regards trans-fat, other than transfat naturally occurring in fat of animal origin. Updated research required, includes a review which would provide 	
The sefety and	 information on: The prevalence of food containing trans fats available on the Irish market. The quantity of industrially produced trans fats found in products on the Irish market. 	None petified
The safety and suitability of dairy alternatives	Ireland's healthy eating guidelines recommend three servings of dairy per day for all individuals, with the exception of those aged 9- 18 years where five servings are recommended. A serving of dairy	None notified.

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
	 includes a 200ml glass of milk, 125g pot of yogurt or 30g cheese which is based on calcium requirements for the population. However, in recent times, there has been an explosion of dairy alternatives on the Irish market. Research has demonstrated that shaken and unshaken plant-based drinks have divergent protein and calcium content highlighting the importance of consumer understanding of food product labels to avoid nutritional deficiencies. In line with the Farm to Fork Strategy and developing healthy sustainable dietary guidelines, it is important to understand the safety, sustainability, and suitability of such products for various population groups. Research should also include a review of the ingredients used in terms of chemical and microbiological risks, nutritional profile and sustainability index, presence of non-mandatory labelling information including nutrition and health claims, and green claims. 	

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
Reduction of fat, sugar,	Obesity and cardiovascular diseases are major threats to the health	See food consumption studies listed earlier in
and salt in consumer	of the Irish population. Reformulation, with a focus on reductions in	this report.
foods	calories, saturated fat, sugar, and salt to improve the nutritional	1. FORC- Food Reformulation for
	profile of food, is an important long-term activity to combat food	Consumers: Understanding barriers to
	related ill health.	consumer acceptance of reformulated
	Research should focus on the feasibility of producing food products	food products.
	that meet all reformulation targets set by the Department of Health	Lead: Prof. Patrick Wall, University College
	(i.e., saturated fats, sugar, and salt) across all consumer food	Dublin
	categories (prepacked and non-prepacked food).	
	Reformulation should simultaneously address all relevant nutrients	Funded by: Department of Agriculture, Food
	of concern in a product; for example, reducing sugar whilst not	and the Marine, Food Institutional Research
	increasing saturated fat, salt, and calorie content. Reformulation	Measure 13F460
	research on sugar should seek to identify practical options for the	Start year: 2013
	replacement of sugar with nutrients containing much lower calorific	Report available: <u>Here.</u>
	value (e.g. fibre), to ensure an energy reduction in the product as	2. PROSSLOW- Development of
	well as a reduction in sugar content. Such replacement options	·
	need to be rigorously researched, to ensure safety for all population	Consumer Accepted Low Salt and Low Fat Irish Traditional Processed Meats.
	cohorts, including children and those with fibre-sensitive conditions	rat mon i raditional Processed Meats.
	such as irritable bowel syndrome (IBS) and inflammatory bowel	

Research area	Research need disease (IBD). Research should also investigate the potential impact of reformulation efforts for those on restricted diets. For example, individuals with inborn errors of metabolism e.g. phenylketonuria (PKU) who can't metabolise aspartame. Research to identify potential adverse effects need to be quantified and such research should also include exploration of mitigating measures (e.g. warning labels, etc.).	 Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of Lead: Dr Maurice O'Sullivan, University College Cork Funded by: Department of Agriculture, Food and the Marine, Food Institutional Research Measure 11F026 Start year: 2011 Report available: Here. Note: There may also have been research funded by DAFM in this area prior to 2010 on ready meals and bread.
Market review of the prevalence of claims	In recent years, there has been an increase in the production and consumption of 'sustainable foods' and plant-based alternatives.	None notified.
on 'sustainable foods'	An increasing number of labels now contain additional information	
or plant-based	relating to the 'sustainability' of food products i.e. 'green labels'. The	
alternatives	EU parliament are in the final stages of approving a directive that will improve product labelling and ban the use of misleading environmental claims. As a result, only sustainability labels based on official certification schemes or established by public authorities	

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
	will be allowed in the EU. The directive will ban claims that a product has a neutral, reduced, or positive impact on the environment because of emissions offsetting schemes. This research would provide an insight into the types of labels currently being used on these 'sustainable' and plant-based alternative products and the compliance of these claims. This research would inform on how reviewing these claims on products should be prioritised within the FSAI.	
Risk assessment for high dose vitamins and mineral supplements	The European Food Safety Authority (EFSA) has been tasked by the European Commission to review past opinions on the tolerable upper intake levels (ULs) for vitamin A, folic acid/folate, vitamin D, vitamin E, vitamin B6, iron, manganese and β-carotene and to take into account recent scientific developments and evidence. For example, EFSA have released their "Scientific opinion on the Tolerable Upper Intake Level (UL) 1 for vitamin B6" where they propose to reduce the UL for vitamin B6 from 25 mg/day to 12.5mg/day. Based on data from case reports and recent nutrivigilance data, a causal relationship between high vitamin B6 intakes and peripheral neuropathy is well established and is the	None notified.

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
	critical effect on which the UL is based. While hypotheses for the potential mechanisms of toxicity have been recently put forward, the casual mechanisms are still unknown. Considering the popularity of vitamin B6 and availability to the public, more work is warranted to better understand the safety profile of high dose vitamin B6	
	 supplements. In addition, in the conclusions of their draft opinion, EFSA put forward a number of research recommendations: Additional research is needed regarding potential differences in the toxicity profile of the different vitamers of vitamin B6. Additional research on toxicokinetics and toxicodynamics could help to refine the derivation of an uncertainty factor. Further investigation of the mechanisms of vitamin B6 toxicity is needed and the identification of genetic traits that may influence individual susceptibility. 	
	EFSA has identified several research recommendations for each nutrients (vitamin A, folic acid/folate, vitamin D, vitamin E, vitamin	

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
	B6, iron, manganese and β -carotene). Such information is required to further understand the safety profile of high dose supplements containing these nutrients.	
Nutrient degradation of powdered infant formula	The World Health Organization (WHO) recommends that water used to reconstitute powdered infant formula (PIF) is ≥70°C to eliminate harmful bacteria, such as <i>Cronobacter sakazakii</i> . As collaborators for the preparation of this document, the FSAI guidance note on Information Relevant to the Development of <u>Guidance Material for the Safe Feeding of Reconstituted Powdered</u> Infant Formula is in line with the WHO recommendations. The WHO guidelines describe concerns over the use of very hot water in PIF reconstitution, due to loss of heat sensitive nutrients. A study presented at a 2006 FAO/WHO expert meeting indicated that reduction in vitamin levels from use of water at >70 °C was not significant. However, agreements were not made for specific recommendations on the issue, as the data was based on a single study only.	None notified.
	Since the publication of these guidelines in 2007, there has been an increase in the use and availability of automated powdered infant	

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
	formula preparation machines. The WHO guidelines did not consider the impact of the preparation machines on the potential	
	degradation of heat-sensitive nutrients, including vitamin C.	
	Therefore, further research is needed to investigate the nutrient	
	degradation of heat-sensitive nutrients when using automated	
	formula preparation machines.	
	This research could identify potential considerations that need to be	
	made to ensure compliance with the compositional requirements for	
	infant formula when using PIF preparation machines. These	
	composition requirements are set out in Commission Delegated	
	Regulation (EU) 2016/127, as given effect by the European Union	
	(Food Intended for Infants and Young Children, Food for Special	
	Medical Purposes, and Total Diet Replacement for Weight Control)	
	Regulations 2019 (S.I. No. 425 of 2019) as amended by S.I. No.	
	490 of 2023. Infants are a vulnerable group who depend on these	
	breastmilk substitutes when they cannot be breastfed, and ensuring	
	their nutritional needs are met by these products is of significant	
	public health importance.	

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
Nutrivigilance	or lichens have become widely available on the EU market in the form of food supplements. These products can be bought over the counter in health food stores, pharmacies and over the internet. While many of these products have a long history of use, there may be concerns over the safety of some plant preparations and the substances associated with them. EFSA have created a compendium of botanicals which is updated regularly and collates	
	information on possible adverse effects along with botanical consumption. The adverse reaction events which form the basis of this compendium are not effectively monitored or recorded in Ireland. The creation of a database of adverse effects would help inform decisions on safety and quality criteria of botanical food supplements. The setting-up of a nutrivigilance system which records these adverse effects may allow for swift responses to increases in consumption of food supplements which may cause harm.	

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
	Supplementary work could involve gathering of information of the prevalence of botanical food supplements on the market, which could inform of the likelihood of issues occurring when particular botanicals are identified as substances of concern, at national or EU level.	
Food composition and labelling information surveillance system	Traditionally, generic composition of food databases has been used to determine the composition of foods on the market. However, with the increasing number and variety of pre-packed food on the market the establishment of food composition and labelling information systems containing information on prepacked foods on the market has become more comment practice. Food composition and labelling information system permit the monitoring of the pre-packed food supply. A review commissioned by the FSAI in 2023 found 18 food composition and labelling information systems established globally. To date in Ireland a food composition and labelling information system with a market wide view has not been established. This means it is challenging and expensive to evaluate nutrition policy outcomes. Research would establish a food composition and	 1. Scoping a branded food database for Ireland. Lead: Prof. Eileen Gibney, UCD Funding: FSAI Year: 2023 Report not available.

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
	labelling information system which is kept up to date on a regular basis and would be used to investigate the composition of prepacked food to inform food policy design, implementation, and evaluation over time.	

Social science

	progress or completed since 2010 that FSAI is aware of
Food safety cultureSelf-regulation is the norm in many industries, e.g. financeelectronics, pharmacological sectors, where potential condharm is managed by the company's own compliance rewThe paradigm of the regulator and the regulated in foodcompliance sometimes tends towards a very different cufood safety arising from compulsion as opposed to choiceEU food safety legislation on official controls now requireassessment of food safety culture in food businesses. Therequires food businesses to consider what their food safetculture is and how to embed it into their business so thatbe verified by regulators. Research into the marked-differentsafety assurance cultures across different industrial sectmay yield insight to culture-forming initiatives transferrationnon-food sectors to food production.Research needs include:• Research safety assurance cultures in other induction	ustries

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
	 could be adopted/adapted by the food industry to strengthen food safety culture. Investigate behavioural and leadership drivers within food production which support an explicit culture of food safety as a priority. Conversely identify potential impediments which might increase the risk of food safety culture being sub-optimal. Identify practical interventions which can be applied to drive an ethos of food safety culture in food businesses. For the purposes of official controls of adequate compliance with legal obligations, identify tangible indices of adequate food safety culture that could be used to verify compliance. 	
Food safety enforcement	Official controls on food are in place to protect public health and public interests. Food law is complex and there are various penalties for non-compliance up to and including prosecution and conviction. This latter penalty is often considered a last resort and reserved for the most severe or persistent breaches	None notified.

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
	 of food law. Competent authorities recognise that most food businesses want to comply with legal requirements but sometimes fail through lack of technical knowhow or ignorance of the law. Nevertheless, sometimes legal enforcement procedures are necessary and need to be carried out in a way that is dissuasive of further non-compliance both by the specific food business and by the food sector, as a whole. Research is needed to understand the behavioural effectiveness of different approaches to food safety enforcement. For example: Does leniency, noting a non-compliance and allocating generous time-period for closeout send a message of acceptability of non-compliance? Are Compliance Notices effective at dissuading non- compliance by that operator? Have they any effect wider than the operator? Assuming published enforcements (Enforcement Orders under the FSAI-Act or S.I. 79 of 2020) are more dissuasive than non-public notices e.g. compliance 	

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
	 notices under SI 22 or 79 of 2020, can the magnitude of that benefit be quantified, both for the individual operator and also in deterring non-compliance by broader group of operators? Can appropriate scenarios for application for different tools be considered to ensure maximal effect and proportionality? Fixed Penalty notices have a benefit of immediacy but may lack proportionality. What is the comparative dissuasiveness, and appropriate scenarios for such enforcement tools, over others? Should prosecutions be taken more frequently? Does it have a dissuasive effect on the wider food industry? What are the public's attitudes to the different enforcement options in the context of fairness and proportionality? 	
Food operation expansion risk assessment	An anecdotal contributor to food safety issues is any rapid expansion of food production volume or complexity. Increased commercial output can stretch physical structures and	None notified.

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
	 assurance systems designed for much more moderate operations. Raw material diversity, new processes, new equipment, when imposed on pre-existing structures and systems have potential to detract from food safety risk management effectiveness. Research is needed to identify drivers related to business expansion that result in increasing food safety risks. This work could include: Economic drivers Physical drivers Behavioural drivers. Ideally a set of early indicators would be beneficial to identify when food safety is becoming compromised so proactive action can be taken to protect public health. 	
Investigating levers to	The reduction of nutrients of public health concern such as salt,	1. Fiscal and pricing policies related to
stimulate the reduction of	saturated fat, sugar, and energy (calories) is a priority to address	food and non-alcoholic drinks
salt, saturated fat, sugar,	the rise in food related ill health. Levers such as fiscal policies,	Lead: safefood
and calories in food	front of pack nutrition labelling and restrictions on advertising to	

Research area	Research need	Relevant Irish research projects in progress or completed since 2010 that FSAI is aware of
	children have been shown to stimulate the reduction of nutrients of public health concern in the food supply. This research project would inform the degree to which mandatory measures stimulate food reformulation and identify the factors that influence the level of reformulation achieved. This research could also explore the health equity of mandatory levers for food reformulation.	Funded: <i>safe</i> food Year: 2023 Report available: <u>Here.</u>



Food Safety Authority of Ireland The Exchange, George's Dock, IFSC, Dublin 1, D01 P2V6

T +353 1 817 1300 E info@fsai.ie

in Join us on LinkedIn

 \mathbb{X} Follow us on Twitter @FSAlinfo

f Say hi on Facebook

Visit us on Instagram

You Tube Subscribe to our YouTube channel

www.fsai.ie